

## Computer Programming

(often shortened to programming) is a process that leads from an original formulation of computing problem to executable computer programs.

### C Programming Language (C)

C is a high level and general purpose programming language that is ideal for developing firmware or portable application. Originally intended for writing system software, C was developed at Bell Labs by Dennis Ritchie for the Unix operating system (OS) in the early 1970s.

### C++ Programming Language

*Definition- What does C++ Programming Language mean?*

C++ is an object oriented programming (OOP) language, developed by Bjarne Stroustrup, and is an extension of C language. It is therefore possible to code C++ in a "C Style" or "object-oriented style". In certain scenarios, it can be coded in either way and is thus an effective example of a hybrid language.

C++ is a general purpose objective oriented programming language. It is considered to be an intermediate level language, as it encapsulates both high and low level language features. Initially, the language was called 'C with classes' as it had all properties of C language with an additional concept of classis'. However it was renamed to C++ in 1983.

**Web Design :-** Encompasses many different skills and disciplines in the production and maintenance of websites. The different areas of web design include web graphic design; interface design; authoring including standard ised code and proprietary software; user experience design; and search engine optimization.

**Dynamic Hyper Tex Markup Language (DHTML)** is a combination of web development technologies used to create dynamically changing website. Web pages may include animation, dynamic menus and text effects.

**Extensible Markup Language (XML)** is a markup language that defines a set of rules for encoding documents in a format which is both human-readable and machine-readable.

**VBScript (Visual Basic Scripting Edition)** is an active scripting language developed by Microsoft that is modeled in visual Basic. It is designed as a "light weight" language with a fast interpreter for use in a wide variety of Microsoft environments.

**Java Script :-** an object-oriented computer language commonly used to create interactive effects within web browsers.

**.NET:-** Framework (pronounced dot net) is a software framework developed by Microsoft that runs primarily on Microsoft windows

## Browser

A person who looks casually through publications or websites or at goods for sale.

"a wonderful array of shops that will keep any browser amused for horse"

A computer program with a graphical user interface for displaying HTML files, used to navigate the World Wide Web. "a web browser"

## Google:-

Search for information about (someone or something) on the internet using the search engine Google.

## .HTML – Hyper Text Markup Language (HTML).

### STRUCTURE OF A WEBSITE

A web site is composed of three main section: the home, page, the main section, and subsections.

The home page is the first page of the web site. This page usually tells visitors what the site is about. The main section usually contains the headings for particular areas of the web site, where the subsections contains most of the content. For example, this could be the structure for a school web site.

### What is HTML Rule?

Hypertext Markup Language (HTML) is a computer language used to create document (web pages) for display on the world wide web.

Two basic tool are needed to create HTML document; an HTML editor to create and save the document and a web browser to view them.

### Text Editors

You can also create HTML document with notepad, or any other text editors. But in this case you need to e familiar with HTML coding. This is how you create an HTML document using notepad.

**Open notepad by selecting star – all – Program – Accessories – notepad. The Notepad window will appear.**

Selected File- New form the notepad menu to create a new document.

Type the HTML document exactly as shown in figure 10.1 (we will discuss HTML coding later in this chapter.)

Select File – **Save as.**

In the save as dialog box, choose the location where we wish to save the document enter the file name with the extension. Htm or html, and click save (fig.m 10.2)

```
<HTML>
<head>
<title> Chipko Movement</title>
</head>
<body>
The chipko andolan was the result of a grass root effort to give people
control of their own forests. It stated with an incident in the 1970s, in a remote Garhwali village.
<font size="1" color="violet">welcome!</font>
<font size="2" color="indigo">welcome!</font>
<font size="3" color="green">welcome!</font>
<font size="4" color="yellow">welcome!</font>
<font size="5" color="blue">welcome!</font>
<font size="6" color="red">welcome!</font>
<font size="7" color="orange">welcome!</font>

</body>
</HTML>
```

```
<Html>
<head>
<title>MS Dhoni</title>
</head>
<body>
```

**Mahendra** Singh Dhoni or MS Dhoni is one of the most **popular** Indian cricketers. Putting his great leadership skills to test, he served as the former captain of the Indian national cricket team; however, he captained the team only in **limited-overs format** from 2007 to 2016, and in Test cricket from 2008 to 2014. **Also known for his excellent** wicket-keeping skills, he was a gem to the Indian team even in some very hard situations. He made his debut in One Day International (ODI) in December 2004, playing against Bangladesh. A year later,

```
<hr size="4" color="blue" width="100%" align="right">
```

**Dhoni was born** on July 7, 1981 in **Ranchi, Bihar** (now Jharkhand) to Pan Singh and Devaki Devi. He has a sister Jayanti and a brother Narendra Singh Dhoni. Originally his family belonged to **village Lvali in the Lamgarha** block of Almora district of Uttarakhand. He studied at the DAV Jawahar Vidya Mandir School in Shyamali, Ranchi, Jharkhand. Initially, during his school days, he used to play badminton and football and in fact was the goalkeeper of his football team. Once he was sent by his football coach to play cricket for a local cricket club. It was in this match that he impressed everyone with his wicket-keeping skills which resulted in getting him a **regular post of the wicketkeeper at the Commando Cricket Club (1995-1998). He was picked up for the Vinoo Mankad Trophy Under-16** Championship, where he performed well. Dhoni focused on cricket after passing his 10th standard. From 2001 to 2003,

```
<hr size="4" color="red" width="45%" align="right">
```

```
</body> </html>
```

```
<html>
<head>
<title> travel experience </title>
</head>
<body>
<h2 align="center"> travel experience </h2>
<font size="6" face="comic sance Ms" color="blue">
Make a wish.....<br>.....we help you realize it </font><br><br>
<font size "4" color="maroon" face="lucida calligraphy">
Explore the word as you would want to<br><br> turn your holiday into
unforgettable and delightful experience <br> with travel solutions and services by <br>
<b> TRAVEL EXPERIENCE </b><br>
The only destination for all your travel needs
</font>
</body>
</html>
```

```
<Html>
<head>
<title> typing font Attributes</title>
</head>
<body>
```

#### DECLARATION

I hereby declare that all the particulars should in this application are true to the best of my knowledge and behalf.

Date \_\_\_\_\_

Batch Time \_\_\_\_\_

#### Condition of Apply

1. In the event of my word not joining this course on with drawing shortly after the admission fee paid will not be refundable under any circumstances.
2. The institute fee will be payable in advance and in not more than two inataiments 50% is to be paid at the time of admission and remaining within the 3 months or the admission date Delayed payments will invite late fee.
3. I will not hold the institute or the hotel when on industrial training responsible in any manner in the event of any injury to my ward during the training / course.
4. I am medically fit to join the course and I have not hidden my medical condition that would hamper my performance.
5. I fully understand that in the event of any dispute the matter will be subject to Dehradun jurisdiction only.

Signature of Student

Signature of Parent's

```
</body>
</html>
```

Community / समुदाय \* : [Select Community] v

Do you belong to Minority / क्या आप अल्पसंख्यक हैं \* : Select Minority v

Fee Remission Allowed / शुल्क माफ किया गया है: No v

[Fee exemption is admissible only to SC/ST / Female candidates studying in Sainik/Military School केवल अ.जा./अ.ज.जा. महिला उम्मीदवारों के लिए शुल्क भुगतान हेतु छूट वाई हैं और सैनिक / सैन्य स्कूल में पढ़ रहे हैं ]

**Educational Qualification / शैक्षिक योग्यता**

Select your educational qualifications / अपनी शैक्षिक योग्यता का चयन करें \* : [View Details / विवरण देखें] [ Select the Qualification ]

**Address / आवासीय पता**

Line 1 / लाइन 1 \* : [ ] [Do not enter special characters like ( \_ , \ , / etc.) or you please की पहिले 1 में विशेष वर्ण जैसे ( \_ , \ , / आदि) अथवा अपना नाम

Line 2 / लाइन 2 \* : [ ] [Do not enter special characters like ( \_ , \ , / etc.) in the

Line 3 / लाइन 3 : [ ] [Do not enter special characters like ( \_ , \ , / etc.) in the

State/UT राज्य/संघ शासित क्षेत्र \* : [ Select State/UT ] v

District/City जिला/शहर \* : [ Select District/City ] v

PIN Code / पिन कोड \* : [ ]

Phone No. with Area Code / क्षेत्र कोड के साथ फोन नं. : [ ] [ ]

Mobile No. / मोबाइल नं. \* : [ ]

e-mail / ई-मेल \* : [ ] [The Commission may be communicating with the candidate via mail id only./आयोग ईमेल के माध्यम से उम्मीदवारों के साथ संवाद करेगा।]

Confirm e-mail / ई-मेल की पुष्टि करें \* : [ ]

Alternative e-mail / वैकल्पिक ई-मेल : [ ]

**ONLINE APPLICATION FOR THE POST OF DISTRICT JUDGE(ENTRY LEVEL), DIRECT FROM BAR - 2021**

Candidate's Name \* [ ]

Father's Name \* [ ]

Category \* [ - SELECT - ] v Whether Orthopaedically Handicapped(OH)? \* [ - SELECT - ] v

Date of Birth [ ] [ ] [ ]

Gender \*  Male  Female  Transgender

**Address**

Permanent Address (Same as Present Address)

Present Address \* [ ] [ ] [ ] [ ] [ ] [ ]

Pin Code \* [ ] [ ] [ ] [ ] [ ] [ ]

State [ -SELECT- ] v State [ -SELECT- ] v

Mobile No. \* [ ] [ ] [ ] [ ] [ ] [ ]

Email \* [ ] [ ] [ ] [ ] [ ] [ ]

**Enrollment Detail**

Date of Enrollment \* [ ] [ ] [ ] [ ] [ ] [ ]

Name of Bar Council [ ] [ ] [ ] [ ] [ ] [ ]

State of Bar Council [ -SELECT- ] v

Length of practice as an Advocate [ 0 ] Year(s) [ 0 ] Month(s) [ 0 ] Day(s)

Whether Employed? \* [ - SELECT - ] v

**Part I Registration भाग I पंजीकरण** → **Payment भुगतान** → **Photo, Sign & Photo Identity फोटो, साइन व फोटो पहचान पत्र**

**PART-I REGISTRATION /**

**Personal Details / व्यक्तिगत विवरण**

Name / नाम \* : [ ]

Gender / लिंग \* : [ Select Gender ] v

Date Of Birth / जन्म तिथि \* : [ Day ] [ Month ] [ Year ]

Father's Name / पिता का नाम \* : [ ]

Mother's Name / माता का नाम \* : [ ]

Nationality / राष्ट्रियता \* : [ Indian / भारतीय ] v

Marital Status / वैवाहिक स्थिति \* : [ Unmarried / अविवाहित ] v

**Note 1:** Name as recorded in the Matriculation/Secondary Note 1: नैटिक/माध्यमिक परीक्षा प्रमाण-पत्र में दर्ज नाम के अनुसार

**Note 2:** Please do not use any prefix such as Mr. or Ms. etc. only 3 letters as 4 letters are mandatory for NAME field. Note 2: कृपया नाम के आगे श्री (Mr.) या सुश्री (Ms.) आदि न लगाएं जब

**Note 3:** If your name is exceeding 30 characters, please re Note 3: यदि आपका नाम 30 अक्षरों से अधिक है, तो कृपया सामान्य प्रार

**Educational Qualifications**

	Name of Examination	Board/University Name	Pass Year	Percentage
10th	[ ]	[ ]	[ ]	[ ]
12th	[ ]	[ ]	[ ]	[ ]
Graduation	[ ]	[ ]	[ ]	[ ]
Post Graduation	[ ]	[ ]	[ ]	[ ]
LL.B.	[ ]	[ ]	[ ]	[ ]
LL.M.	[ ]	[ ]	[ ]	[ ]
Any Other Qualification	[ ]	[ ]	[ ]	[ ]

Enter CAPTCHA: 430 --> [ ]

Submit Application Form

**उत्तराखण्ड पूर्व सैनिक कल्याण निगम लि० (उपनल)** **शिकायत/पूछताछ हेतु डायल कर- देहरादून हल्द्वानी**

**Uttarakhand Purv Sainik Kalyan Nigam Ltd. (UPNL)** **0135-2752178 07088834030**

(Undertaking of Uttarakhand Government & Empanelled with DGR) **info@upnl.co.in upnl\_haldwani@rediffmail.com**

मुख्य पृष्ठ हमारे संदर्भ में प्रबंधन डाउनलोड्स रिक्तियाँ/निविदायें संपर्क करें सूचना का अधिकार ई.मेल

**Enrolment Form for Civilians Applicant (उत्तराखण्ड के निवासी)** All fields marked with \* are mandatory.

**Applicant Personal Details**

Nearest UPNL RPO \* [ --Select-- ] v District Name (As per Domicile Certificate) \* [ --Select-- ] v Date \* [ 21-Aug-2021 ]

Applicant Name \* [ ] Relationship \* [ --Select-- ] v Father/Husband Name \* [ ]

Mobile No \* [ ] Aadhar No \* [ ] Date of Birth \* [ dd-MMM-yyyy ] Reservation \* [ --Select-- ] v

Email Id [ ] Address \* [ ]

**Applicant Qualifications Details**

Educational Qualification \* [ ] Security Course Attended (If any) [ ]

Professional Qualification [ ]

**Applicant Job Preference**

Job Preference \* [ --Select-- ] v Job Related Remarks [ ]

Job location Preference \* [ --Select-- ] v Location Remarks [ ]

**Submit** **Reset**

**Contact Details (Head Office)** **Contact Details (RPO Haldwani)**


Uttarakhand Purv Sainik Kalyan Nigam Ltd. **Uttarakhand Purv Sainik Kalyan Nigam Ltd.**


Andaman Road GarhiCant Dehradun, Uttarakhand, India. [PinCode-248001] **- Near E.N.T Hospital, Gali No 1A, Himgiri, Aadarsh Nagar Colony, Pili Kothi, Kaladhungi road, Haldwani Uttarakhand. [PinCode-263139]**

Phone: 0135-2750178, Fax: 0135-2754041, Email: rpo@upnl.co.in, info@upnl.co.in **Phone : 05946-263196, Email: upnl\_haldwani@rediffmail.com**

# HTML CODES

P	Name	Code Example	Browser View
<!--	comment	<!--This can be viewed in the HTML part of a document-->	Nothing will show <a href="#">(Tip)</a>
<A -	anchor	<A HREF="http://www.yourdomain.com/">Visit Our Site</A>	<a href="#">Visit Our Site (Tip)</a>
<B>	bold	<B>Example</B>	Example
<BIG>	big (text)	<BIG>Example</BIG>	Example <a href="#">(Tip)</a>
<BODY>	body of HTML document	<BODY>The content of your HTML page</BODY>	Contents of your web page <a href="#">(Tip)</a>
 	line break	The contents of your page The contents of your page	The contents of your web page The contents of your web page
<CENTER>	center	<CENTER>This will center your contents</CENTER>	This will center your contents
<DD>	definition description	<DL> <DT>Definition Term <DD>Definition of the term <DT>Definition Term <DD>Definition of the term </DL>	Definition Term Definition of the term Definition Term Definition of the term
<DL>	definition list	<DL> <DT>Definition Term <DD>Definition of the term <DT>Definition Term <DD>Definition of the term </DL>	Definition Term Definition of the term Definition Term Definition of the term
<DT>	definition term	<DL> <DT>Definition Term <DD>Definition of the term <DT>Definition Term <DD>Definition of the term </DL>	Definition Term Definition of the term Definition Term Definition of the term
<EM>	emphasis	This is an <EM>Example</EM> of using the emphasis tag	This is an <i>Example</i> of using the emphasis tag
<EMBED>	embed object	<EMBED src="yourfile.mid" width="100%" height="60" align="center">	<a href="#">(Tip)</a>
<EMBED>	embed object	<EMBED src="yourfile.mid" autostart="true" hidden="false" loop="false"> <noembed><bgsound src="yourfile.mid" loop="1"></noembed>	Music will begin playing when your page is loaded and will only play one time. A control panel will be displayed to enable your visitors to stop the music.
<FONT>	font	<FONT FACE="Times New Roman">Example</FONT>	Example <a href="#">(Tip)</a>
<FONT>	font	<FONT FACE="Times New Roman" SIZE="4">Example</FONT>	Example <a href="#">(Tip)</a>
<FONT>	font	<FONT FACE="Times New Roman" SIZE="+3" COLOR="#FF0000">Example</FONT>	<b>Example</b> <a href="#">(Tip)</a>
<FORM>	form	<FORM action="mailto:you@yourdomain.com"> Name: <INPUT name="Name" value="" size="10">  Email: <INPUT name="Email" value="" size="10">  <CENTER><INPUT type="submit"></CENTER> </FORM>	Name: <input type="text"/> <a href="#">(Tip)</a> Email: <input type="text"/> <input type="submit" value="Submit Query"/>
<H1> <H2> <H3> <H4> <H5> <H6>	heading 1 heading 2 heading 3 heading 4 heading 5 heading 6	<H1>Heading 1 Example</H1> <H2>Heading 2 Example</H2> <H3>Heading 3 Example</H3> <H4>Heading 4 Example</H4> <H5>Heading 5 Example</H5>	<b>Heading 1</b> <b>Heading 2</b> <b>Heading 3</b> <b>Heading 4</b> <b>Heading 5</b> <b>Heading 6</b>
<HEAD>	heading of HTML document	<HEAD>Contains elements describing the document</HEAD>	Nothing will show
<HR>	horizontal	<HR>	

	rule		Contents of your web page <a href="#">(Tip)</a> Contents of your web page
<HR>	horizontal rule	<HR WIDTH="50%" SIZE="3">	Contents of your web page Contents of your web page
<HR>	horizontal rule	<HR WIDTH="50%" SIZE="3" NOSHADE>	Contents of your web page Contents of your web page
<HR> (Internet Explorer)	horizontal rule	<HR WIDTH="75%" COLOR="#FF0000" SIZE="4">	Contents of your web page Contents of your web page
<HR> (Internet Explorer)	horizontal rule	<HR WIDTH="25%" COLOR="#6699FF" SIZE="6">	Contents of your web page Contents of your web page
<HTML>	hypertext markup language	<HTML><HEAD><META><TITLE>Title of your web page</TITLE></HEAD><BODY>HTML web page contents</BODY></HTML>	Contents of your web page
<I>	italic	<I>Example</I>	Example
<IMG>	image	<IMG SRC="Earth.gif" WIDTH="41" HEIGHT="41" BORDER="0" ALT="text describing the image">	 <a href="#">(Tip)</a>
<INPUT>	input field	Example 1: <FORM METHOD=post ACTION="/cgi-bin/example.cgi"> <INPUT type="text" size="10" maxlength="30"> <INPUT type="Submit" VALUE="Submit"> </FORM>	Example 1: <a href="#">(Tip)</a> 
<INPUT> (Internet Explorer)	input field	Example 2: <FORM METHOD=post ACTION="/cgi-bin/example.cgi"> <INPUT type="text" STYLE="color: #FFFFFF; font-family: Verdana; font-weight: bold; font-size: 12px; background-color: #72A4D2;" size="10" maxlength="30"> <INPUT type="Submit" VALUE="Submit"> </FORM>	Example 2: <a href="#">(Tip)</a> 
<INPUT>	input field	Example 3: <FORM METHOD=post ACTION="/cgi-bin/example.cgi"> <TABLE BORDER="0" CELSPACING="0" CELLPADDING="2"><TR><TD BGCOLOR="#8463FF"><INPUT type="text" size="10" MAXLENGTH="30"></TD><TD BGCOLOR="#8463FF" VALIGN="Middle"><INPUT type="image" name="submit" src="yourimage.gif"></TD></TR> </TABLE> </FORM>	Example 3: <a href="#">(Tip)</a> 
<INPUT>	input field	Example 4: <FORM METHOD=post ACTION="/cgi-bin/example.cgi"> Enter Your Comments:  <TEXT AREA wrap="virtual" name="Comments" rows=3 cols=20 MAXLENGTH=100></TEXT AREA>  <INPUT type="Submit" VALUE="Submit"> <INPUT type="Reset" VALUE="Clear"> </FORM>	Example 4: <a href="#">(Tip)</a> 
<INPUT>	input field	Example 5: <FORM METHOD=post ACTION="/cgi-bin/example.cgi"> <CENTER> Select an option: <SELECT> <OPTION >option 1 <OPTION SELECTED>option 2 <OPTION>option 3	Example 5: <a href="#">(Tip)</a> Select an option: 

		<pre>&lt;OPTION&gt;option 4 &lt;OPTION&gt;option 5 &lt;OPTION&gt;option 6 &lt;/SELECT&gt;&lt;BR&gt; &lt;INPUT type="Submit" VALUE="Submit"&gt;&lt;/CENTER&gt; &lt;/FORM&gt;</pre>	
<INPUT>	input field	<p>Example 6:</p> <pre>&lt;FORM METHOD=post ACTION="/cgi-bin/example.cgi"&gt; Select an option:&lt;BR&gt; &lt;INPUT type="radio" name="option"&gt; Option 1 &lt;INPUT type="radio" name="option" CHECKED&gt; Option 2 &lt;INPUT type="radio" name="option"&gt; Option 3 &lt;BR&gt; &lt;BR&gt; Select an option:&lt;BR&gt; &lt;INPUT type="checkbox" name="selection"&gt; Selection 1 &lt;INPUT type="checkbox" name="selection" CHECKED&gt; Selection 2 &lt;INPUT type="checkbox" name="selection"&gt; Selection 3 &lt;INPUT type="Submit" VALUE="Submit"&gt; &lt;/FORM&gt;</pre>	<p>Example 6: <a href="#">(Tip)</a></p> <p>Select an option:</p> <p><input type="radio"/> Option 1</p> <p><input checked="" type="radio"/> Option 2</p> <p><input type="radio"/> Option 3</p> <p>Select an option:</p> <p><input type="checkbox"/> Selection 1</p> <p><input checked="" type="checkbox"/> Selection 2</p> <p><input type="checkbox"/> Selection 3</p> 
<LI>	list item	<p>Example 1:</p> <pre>&lt;MENU&gt; &lt;LI type="disc"&gt;List item 1 &lt;LI type="circle"&gt;List item 2 &lt;LI type="square"&gt;List item 3 &lt;/MENU&gt;</pre> <p>Example 2:</p> <pre>&lt;OL type="i"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre>	<p>Example 1: <a href="#">(Tip)</a></p> <ul style="list-style-type: none"> <li>● List item 1</li> <li>○ List item 2</li> <li>■ List item 3</li> </ul> <p>Example 2:</p> <ol style="list-style-type: none"> <li>i. List item 1</li> <li>ii. List item 2</li> <li>iii. List item 3</li> <li>iv. List item 4</li> </ol>
<LINK>	link	<pre>&lt;head&gt; &lt;link rel="stylesheet" type="text/css" href="style.css" /&gt; &lt;/head&gt;</pre>	
<MARQUEE> (Internet Explorer)	scrolling text	<pre>&lt;MARQUEE bgcolor="#CCCCCC" loop="-1" scrollamount="2" width="100%"&gt;Example Marquee&lt;/MARQUEE&gt;</pre>	 <p><a href="#">(Tip)</a></p>
<MENU>	menu	<pre>&lt;MENU&gt; &lt;LI type="disc"&gt;List item 1 &lt;LI type="circle"&gt;List item 2 &lt;LI type="square"&gt;List item 3 &lt;/MENU&gt;</pre>	<ul style="list-style-type: none"> <li>● List item 1</li> <li>○ List item 2</li> <li>■ List item 3</li> </ul>
<META>	meta	<pre>&lt;META name="Description" content="Description of your site"&gt; &lt;META name="keywords" content="keywords describing your site"&gt;</pre>	Nothing will show <a href="#">(Tip)</a>
<META>	meta	<pre>&lt;META HTTP-EQUIV="Refresh" CONTENT="4;URL=http://www.yourdomain.com/"&gt;</pre>	Nothing will show <a href="#">(Tip)</a>
<META>	meta	<pre>&lt;META http-equiv="Pragma" content="no-cache"&gt;</pre>	Nothing will show <a href="#">(Tip)</a>
<META>	meta	<pre>&lt;META name="rating" content="General"&gt;</pre>	Nothing will show <a href="#">(Tip)</a>
<META>	meta	<pre>&lt;META name="ROBOTS" content="ALL"&gt;</pre>	Nothing will show <a href="#">(Tip)</a>

<p>&lt;META&gt;</p> <p>&lt;OL&gt;</p>	<p>meta</p> <p>ordered list</p>	<p>&lt;META NAME="ROBOTS" content="NOINDEX,FOLLOW"&gt;</p> <p>Numbered</p> <pre>&lt;OL&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre> <p>Numbered Special Start</p> <pre>&lt;OL start="5"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre> <p>Lowercase Letters</p> <pre>&lt;OL type="a"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre> <p>Capital Letters</p> <pre>&lt;OL type="A"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre> <p>Capital Letters Special Start</p> <pre>&lt;OL type="A" start="3"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre> <p>Lowercase Roman Numerals</p> <pre>&lt;OL type="i"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre> <p>Capital Roman Numerals</p> <pre>&lt;OL type="I"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre> <p>Capital Roman Numerals Special Start</p> <pre>&lt;OL type="I" start="7"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/OL&gt;</pre>	<p>Nothing will show <a href="#">(Tip)</a></p> <p>Numbered</p> <ol style="list-style-type: none"> <li>1. List item 1</li> <li>2. List item 2</li> <li>3. List item 3</li> <li>4. List item 4</li> </ol> <p>Numbered Special Start</p> <ol style="list-style-type: none"> <li>5. List item 1</li> <li>6. List item 2</li> <li>7. List item 3</li> <li>8. List item 4</li> </ol> <p>Lowercase Letters</p> <ol style="list-style-type: none"> <li>a. List item 1</li> <li>b. List item 2</li> <li>c. List item 3</li> <li>d. List item 4</li> </ol> <p>Capital Letters</p> <ol style="list-style-type: none"> <li>A. List item 1</li> <li>B. List item 2</li> <li>C. List item 3</li> <li>D. List item 4</li> </ol> <p>Capital Letters Special Start</p> <ol style="list-style-type: none"> <li>C. List item 1</li> <li>D. List item 2</li> <li>E. List item 3</li> <li>F. List item 4</li> </ol> <p>Lowercase Roman Numerals</p> <ol style="list-style-type: none"> <li>i. List item 1</li> <li>ii. List item 2</li> <li>iii. List item 3</li> <li>iv. List item 4</li> </ol> <p>Capital Roman Numerals</p> <ol style="list-style-type: none"> <li>I. List item 1</li> <li>II. List item 2</li> <li>III. List item 3</li> <li>IV. List item 4</li> </ol> <p>Capital Roman Numerals Special Start</p> <ol style="list-style-type: none"> <li>VII. List item 1</li> <li>VIII. List item 2</li> <li>IX. List item 3</li> <li>X. List item 4</li> </ol>
<p>&lt;OPTION&gt;</p>	<p>listbox option</p>	<pre>&lt;FORM METHOD=post ACTION="/cgi-bin/example.cgi"&gt; &lt;CENTER&gt; Select an option: &lt;SELECT&gt;</pre>	<p>Select an option: <a href="#">(Tip)</a></p> <p>option 1 <input type="text"/></p>

		<pre>&lt;OPTION&gt;option 1 &lt;OPTION SELECTED&gt;option 2 &lt;OPTION&gt;option 3 &lt;OPTION&gt;option 4 &lt;OPTION&gt;option 5 &lt;OPTION&gt;option 6 &lt;/SELECT&gt;&lt;BR&gt; &lt;/CENTER&gt; &lt;/FORM&gt;</pre>									
<P>	paragraph	<p>This is an example displaying the use of the paragraph tag. &lt;P&gt; This will create a line break and a space between lines.</p> <p>Attributes:</p> <p>Example 1:&lt;BR&gt; &lt;BR&gt; &lt;P align="left"&gt; This is an example&lt;BR&gt; displaying the use&lt;BR&gt; of the paragraph tag.&lt;BR&gt; &lt;BR&gt; Example 2:&lt;BR&gt; &lt;BR&gt; This is an example&lt;BR&gt; displaying the use&lt;BR&gt; of the paragraph tag.&lt;BR&gt; &lt;BR&gt; Example 3:&lt;BR&gt; &lt;BR&gt; &lt;P align="center"&gt; This is an example&lt;BR&gt; displaying the use&lt;BR&gt; of the paragraph tag.</p>	<p>This is an example displaying the use of the paragraph tag.</p> <p>This will create a line break and a space between lines.</p> <p>Attributes:</p> <p>Example 1: This is an example displaying the use of the paragraph tag.</p> <p>Example 2: This is an example displaying the use of the paragraph tag.</p> <p>Example 3: This is an example displaying the use of the paragraph tag.</p>								
<SMALL>	small (text)	<SMALL>Example</SMALL>	Example ( <a href="#">Tip</a> )								
<STRIKE>	deleted text	<STRIKE>Example</STRIKE>	Example								
<STRONG>	strong emphasis	<STRONG>Example</STRONG>	Example								
<TABLE>	table	<p>Example 1:</p> <pre>&lt;TABLE BORDER="4" CELLPADDING="2" CELLSPACING="2" WIDTH="100%"&gt; &lt;TR&gt; &lt;TD&gt;Column 1&lt;/TD&gt; &lt;TD&gt;Column 2&lt;/TD&gt; &lt;/TR&gt; &lt;/TABLE&gt;</pre> <p>Example 2: (Internet Explorer)</p> <pre>&lt;TABLE BORDER="2" BORDERCOLOR="#336699" CELLPADDING="2" CELLSPACING="2" WIDTH="100%"&gt; &lt;TR&gt; &lt;TD&gt;Column 1&lt;/TD&gt; &lt;TD&gt;Column 2&lt;/TD&gt; &lt;/TR&gt; &lt;/TABLE&gt;</pre> <p>Example 3:</p> <pre>&lt;TABLE CELLPADDING="2" CELLSPACING="2" WIDTH="100%"&gt; &lt;TR&gt; &lt;TD BGCOLOR="#CCCCCC"&gt;Column 1&lt;/TD&gt; &lt;TD BGCOLOR="#CCCCCC"&gt;Column 2&lt;/TD&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;Row 2&lt;/TD&gt; &lt;TD&gt;Row 2&lt;/TD&gt; &lt;/TR&gt; &lt;/TABLE&gt;</pre>	<p>Example 1: (<a href="#">Tip</a>)</p> <table border="1"> <tr> <td>Column 1</td> <td>Column 2</td> </tr> </table> <p>Example 2: (<a href="#">Tip</a>)</p> <table border="1"> <tr> <td>Column 1</td> <td>Column 2</td> </tr> </table> <p>Example 3: (<a href="#">Tip</a>)</p> <table border="1"> <tr> <td>Column 1</td> <td>Column 2</td> </tr> <tr> <td>Row 2</td> <td>Row 2</td> </tr> </table>	Column 1	Column 2	Column 1	Column 2	Column 1	Column 2	Row 2	Row 2
Column 1	Column 2										
Column 1	Column 2										
Column 1	Column 2										
Row 2	Row 2										
<TD>	table data	<pre>&lt;TABLE BORDER="2" CELLPADDING="2" CELLSPACING="2" WIDTH="100%"&gt; &lt;TR&gt; &lt;TD&gt;Column 1&lt;/TD&gt; &lt;TD&gt;Column 2&lt;/TD&gt;</pre>	<table border="1"> <tr> <td>Column 1</td> <td>Column 2</td> </tr> </table>	Column 1	Column 2						
Column 1	Column 2										

		</TR> </TABLE>			
<TH>	table header	<pre> &lt;DIV align="center"&gt;&lt;TABLE&gt; &lt;TR&gt; &lt;TH&gt;Column 1&lt;/TH&gt; &lt;TH&gt;Column 2&lt;/TH&gt; &lt;TH&gt;Column 3&lt;/TH&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;Row 2&lt;/TD&gt; &lt;TD&gt;Row 2&lt;/TD&gt; &lt;TD&gt;Row 2&lt;/TD&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;Row 3&lt;/TD&gt; &lt;TD&gt;Row 3&lt;/TD&gt; &lt;TD&gt;Row 3&lt;/TD&gt; &lt;/TR&gt; &lt;TR&gt; &lt;TD&gt;Row 4&lt;/TD&gt; &lt;TD&gt;Row 4&lt;/TD&gt; &lt;TD&gt;Row 4&lt;/TD&gt; &lt;/TR&gt; &lt;/TABLE&gt; &lt;/DIV&gt; </pre>	<p>Column 1 Column 2 Column 3</p> <p>Row 2 Row 2 Row 2</p> <p>Row 3 Row 3 Row 3</p> <p>Row 4 Row 4 Row 4</p>		
<TITLE>	document title	<TITLE>Title of your HTML page</TITLE>	Title of your web page will be viewable in the title bar. (Tip)		
<TR>	table row	<pre> &lt;TABLE BORDER="2" CELLPADDING="2" CELSPACING="2" WIDTH="100%"&gt; &lt;TR&gt; &lt;TD&gt;Column 1&lt;/TD&gt; &lt;TD&gt;Column 2&lt;/TD&gt; &lt;/TR&gt; &lt;/TABLE&gt; </pre>	<table border="1"> <tr> <td>Column 1</td> <td>Column 2</td> </tr> </table>	Column 1	Column 2
Column 1	Column 2				
<TT>	teletype	<TT>Example</TT>	Example		
<U>	underline	<U>Example</U>	<u>Example</u>		
<UL>	unordered list	<pre> Example 1:&lt;BR&gt; &lt;BR&gt; &lt;UL&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;/UL&gt; &lt;BR&gt; Example 2:&lt;BR&gt; &lt;UL type="disc"&gt; &lt;LI&gt;List item 1 &lt;LI&gt;List item 2 &lt;UL type="circle"&gt; &lt;LI&gt;List item 3 &lt;LI&gt;List item 4 &lt;/UL&gt; &lt;/UL&gt; </pre>	<p>Example 1:</p> <ul style="list-style-type: none"> <li>• List item 1</li> <li>• List item 2</li> </ul> <p>Example 2:</p> <ul style="list-style-type: none"> <li>• List item 1</li> <li>• List item 2 <ul style="list-style-type: none"> <li>○ List item 3</li> <li>○ List item 4</li> </ul> </li> </ul>		

Color Values

Color	Color HEX	Color RGB
	#000000	rgb(0,0,0)
	#FF0000	rgb(255,0,0)
	#00FF00	rgb(0,255,0)

Sandeep Sir

	#0000FF	rgb(0,0,255)
	#FFFF00	rgb(255,255,0)
	#00FFFF	rgb(0,255,255)
	#FF00FF	rgb(255,0,255)
	#C0C0C0	rgb(192,192,192)
	#FFFFFF	rgb(255,255,255)

Tag	Description	DTD
<a href="#">&lt;!--...--&gt;</a>	Defines a comment	STF
<a href="#">&lt;!DOCTYPE&gt;</a>	Defines the document type	STF
<a href="#">&lt;a&gt;</a>	Defines an anchor	STF
<a href="#">&lt;abbr&gt;</a>	Defines an abbreviation	STF
<a href="#">&lt;acronym&gt;</a>	Defines an acronym	STF
<a href="#">&lt;address&gt;</a>	Defines contact information for the author/owner of a document	STF
<a href="#">&lt;applet&gt;</a>	<b>Deprecated.</b> Defines an embedded applet	TF
<a href="#">&lt;area /&gt;</a>	Defines an area inside an image-map	STF
<a href="#">&lt;b&gt;</a>	Defines bold text	STF
<a href="#">&lt;base /&gt;</a>	Defines a default address or a default target for all links on a page	STF
<a href="#">&lt;basefont /&gt;</a>	<b>Deprecated.</b> Defines a default font, color, or size for the text in a page	TF
<a href="#">&lt;bdo&gt;</a>	Defines the text direction	STF
<a href="#">&lt;big&gt;</a>	Defines big text	STF
<a href="#">&lt;blockquote&gt;</a>	Defines a long quotation	STF
<a href="#">&lt;body&gt;</a>	Defines the document's body	STF
<a href="#">&lt;br /&gt;</a>	Defines a single line break	STF
<a href="#">&lt;button&gt;</a>	Defines a push button	STF
<a href="#">&lt;caption&gt;</a>	Defines a table caption	STF
<a href="#">&lt;center&gt;</a>	<b>Deprecated.</b> Defines centered text	TF
<a href="#">&lt;cite&gt;</a>	Defines a citation	STF
<a href="#">&lt;code&gt;</a>	Defines computer code text	STF

Sandeep Sir

<a href="#">&lt;col&gt;</a>	Defines attribute values for one or more columns in a table	STF
<a href="#">&lt;colgroup&gt;</a>	Defines a group of columns in a table for formatting	STF
<a href="#">&lt;dd&gt;</a>	Defines a description of a term in a definition list	STF
<a href="#">&lt;del&gt;</a>	Defines deleted text	STF
<a href="#">&lt;dir&gt;</a>	<b>Deprecated.</b> Defines a directory list	TF
<a href="#">&lt;div&gt;</a>	Defines a section in a document	STF
<a href="#">&lt;dfn&gt;</a>	Defines a definition term	STF
<a href="#">&lt;dl&gt;</a>	Defines a definition list	STF
<a href="#">&lt;dt&gt;</a>	Defines a term (an item) in a definition list	STF
<a href="#">&lt;em&gt;</a>	Defines emphasized text	STF
<a href="#">&lt;fieldset&gt;</a>	Defines a border around elements in a form	STF
<a href="#">&lt;font&gt;</a>	<b>Deprecated.</b> Defines font, color, and size for text	TF
<a href="#">&lt;form&gt;</a>	Defines an HTML form for user input	STF
<a href="#">&lt;frame /&gt;</a>	Defines a window (a frame) in a frameset	F
<a href="#">&lt;frameset&gt;</a>	Defines a set of frames	F
<a href="#">&lt;h1&gt; to &lt;h6&gt;</a>	Defines HTML headings	STF
<a href="#">&lt;head&gt;</a>	Defines information about the document	STF
<a href="#">&lt;hr /&gt;</a>	Defines a horizontal line	STF
<a href="#">&lt;html&gt;</a>	Defines an HTML document	STF
<a href="#">&lt;i&gt;</a>	Defines italic text	STF
<a href="#">&lt;iframe&gt;</a>	Defines an inline frame	TF
<a href="#">&lt;img /&gt;</a>	Defines an image	STF
<a href="#">&lt;input /&gt;</a>	Defines an input control	STF
<a href="#">&lt;ins&gt;</a>	Defines inserted text	STF
<a href="#">&lt;isindex&gt;</a>	<b>Deprecated.</b> Defines a searchable index related to a document	TF
<a href="#">&lt;kbd&gt;</a>	Defines keyboard text	STF
<a href="#">&lt;label&gt;</a>	Defines a label for an input element	STF
<a href="#">&lt;legend&gt;</a>	Defines a caption for a fieldset element	STF
<a href="#">&lt;li&gt;</a>	Defines a list item	STF
<a href="#">&lt;link /&gt;</a>	Defines the relationship between a document and an external resource	STF

Sandeep Sir

<a href="#">&lt;map&gt;</a>	Defines an image-map	STF
<a href="#">&lt;menu&gt;</a>	<b>Deprecated.</b> Defines a menu list	TF
<a href="#">&lt;meta /&gt;</a>	Defines metadata about an HTML document	STF
<a href="#">&lt;noframes&gt;</a>	Defines an alternate content for users that do not support frames	TF
<a href="#">&lt;noscript&gt;</a>	Defines an alternate content for users that do not support client-side scripts	STF
<a href="#">&lt;object&gt;</a>	Defines an embedded object	STF
<a href="#">&lt;ol&gt;</a>	Defines an ordered list	STF
<a href="#">&lt;optgroup&gt;</a>	Defines a group of related options in a select list	STF
<a href="#">&lt;option&gt;</a>	Defines an option in a select list	STF
<a href="#">&lt;p&gt;</a>	Defines a paragraph	STF
<a href="#">&lt;param&gt;</a>	Defines a parameter for an object	STF
<a href="#">&lt;pre&gt;</a>	Defines preformatted text	STF
<a href="#">&lt;q&gt;</a>	Defines a short quotation	STF
<a href="#">&lt;s&gt;</a>	<b>Deprecated.</b> Defines strikethrough text	TF
<a href="#">&lt;samp&gt;</a>	Defines sample computer code	STF
<a href="#">&lt;script&gt;</a>	Defines a client-side script	STF
<a href="#">&lt;select&gt;</a>	Defines a select list (drop-down list)	STF
<a href="#">&lt;small&gt;</a>	Defines small text	STF
<a href="#">&lt;span&gt;</a>	Defines a section in a document	STF
<a href="#">&lt;strike&gt;</a>	<b>Deprecated.</b> Defines strikethrough text	TF
<a href="#">&lt;strong&gt;</a>	Defines strong text	STF
<a href="#">&lt;style&gt;</a>	Defines style information for a document	STF
<a href="#">&lt;sub&gt;</a>	Defines subscripted text	STF
<a href="#">&lt;sup&gt;</a>	Defines superscripted text	STF
<a href="#">&lt;table&gt;</a>	Defines a table	STF
<a href="#">&lt;tbody&gt;</a>	Groups the body content in a table	STF
<a href="#">&lt;td&gt;</a>	Defines a cell in a table	STF
<a href="#">&lt;textarea&gt;</a>	Defines a multi-line text input control	STF
<a href="#">&lt;tfoot&gt;</a>	Groups the footer content in a table	STF
<a href="#">&lt;th&gt;</a>	Defines a header cell in a table	STF

Sandeep Sir

<a href="#">&lt;thead&gt;</a>	Groups the header content in a table	STF
<a href="#">&lt;title&gt;</a>	Defines the title of a document	STF
<a href="#">&lt;tr&gt;</a>	Defines a row in a table	STF
<a href="#">&lt;tt&gt;</a>	Defines teletype text	STF
<a href="#">&lt;u&gt;</a>	<b>Deprecated.</b> Defines underlined text	TF
<a href="#">&lt;ul&gt;</a>	Defines an unordered list	STF
<a href="#">&lt;var&gt;</a>	Defines a variable part of a text	STF
<a href="#">&lt;xmp&gt;</a>	<b>Deprecated.</b> Defines preformatted text	

Start tag	Purpose	DTD
<b>Basic Tags</b>		
<a href="#">&lt;!DOCTYPE&gt;</a>	Defines the document type	STF
<a href="#">&lt;html&gt;</a>	Defines an html document	STF
<a href="#">&lt;body&gt;</a>	Defines the body element	STF
<a href="#">&lt;h1&gt; to &lt;h6&gt;</a>	Defines header 1 to header 6	STF
<a href="#">&lt;p&gt;</a>	Defines a paragraph	STF
<a href="#">&lt;br&gt;</a>	Inserts a single line break	STF
<a href="#">&lt;hr&gt;</a>	Defines a horizontal rule	STF
<a href="#">&lt;!--...--&gt;</a>	Defines a comment	STF
<b>Char Format</b>		
<a href="#">&lt;b&gt;</a>	Defines bold text	STF
<a href="#">&lt;font&gt;</a>	<b>Deprecated.</b> Defines text font, size, and color	TF
<a href="#">&lt;i&gt;</a>	Defines italic text	STF
<a href="#">&lt;em&gt;</a>	Defines emphasized text	STF
<a href="#">&lt;big&gt;</a>	Defines big text	STF
<a href="#">&lt;strong&gt;</a>	Defines strong text	STF
<a href="#">&lt;small&gt;</a>	Defines small text	STF
<a href="#">&lt;sup&gt;</a>	Defines superscripted text	STF

Sandeep Sir

<a href="#"><u>&lt;sub&gt;</u></a>	Defines subscripted text	STF
<a href="#"><u>&lt;bdo&gt;</u></a>	Defines the direction of text display	STF
<a href="#"><u>&lt;u&gt;</u></a>	<b>Deprecated.</b> Defines underlined text	TF
<b>Output</b>		
<a href="#"><u>&lt;pre&gt;</u></a>	Defines preformatted text	STF
<a href="#"><u>&lt;code&gt;</u></a>	Defines computer code text	STF
<a href="#"><u>&lt;tt&gt;</u></a>	Defines teletype text	STF
<a href="#"><u>&lt;kbd&gt;</u></a>	Defines keyboard text	STF
<a href="#"><u>&lt;var&gt;</u></a>	Defines a variable	STF
<a href="#"><u>&lt;dfn&gt;</u></a>	Defines a definition term	STF
<a href="#"><u>&lt;samp&gt;</u></a>	Defines sample computer code	STF
<a href="#"><u>&lt;xmp&gt;</u></a>	<b>Deprecated.</b> Defines preformatted text	
<b>Blocks</b>		
<a href="#"><u>&lt;acronym&gt;</u></a>	Defines an acronym	STF
<a href="#"><u>&lt;abbr&gt;</u></a>	Defines an abbreviation	STF
<a href="#"><u>&lt;address&gt;</u></a>	Defines an address element	STF
<a href="#"><u>&lt;blockquote&gt;</u></a>	Defines a long quotation	STF
<a href="#"><u>&lt;center&gt;</u></a>	<b>Deprecated.</b> Defines centered text	TF
<a href="#"><u>&lt;q&gt;</u></a>	Defines a short quotation	STF
<a href="#"><u>&lt;cite&gt;</u></a>	Defines a citation	STF
<a href="#"><u>&lt;ins&gt;</u></a>	Defines inserted text	STF
<a href="#"><u>&lt;del&gt;</u></a>	Defines deleted text	STF
<a href="#"><u>&lt;s&gt;</u></a>	<b>Deprecated.</b> Defines strikethrough text	TF
<a href="#"><u>&lt;strike&gt;</u></a>	<b>Deprecated.</b> Defines strikethrough text	TF
<b>Links</b>		
<a href="#"><u>&lt;a&gt;</u></a>	Defines an anchor	STF
<a href="#"><u>&lt;link&gt;</u></a>	Defines a resource reference	STF

Sandeep Sir

Frames		
<a href="#">&lt;frame&gt;</a>	Defines a sub window (a frame)	F
<a href="#">&lt;frameset&gt;</a>	Defines a set of frames	F
<a href="#">&lt;noframes&gt;</a>	Defines a noframe section	TF
<a href="#">&lt;iframe&gt;</a>	Defines an inline sub window (frame)	TF
Input		
<a href="#">&lt;form&gt;</a>	Defines a form	STF
<a href="#">&lt;input&gt;</a>	Defines an input field	STF
<a href="#">&lt;textarea&gt;</a>	Defines a text area	STF
<a href="#">&lt;button&gt;</a>	Defines a push button	STF
<a href="#">&lt;select&gt;</a>	Defines a selectable list	STF
<a href="#">&lt;optgroup&gt;</a>	Defines an option group	STF
<a href="#">&lt;option&gt;</a>	Defines an item in a list box	STF
<a href="#">&lt;label&gt;</a>	Defines a label for a form control	STF
<a href="#">&lt;fieldset&gt;</a>	Defines a fieldset	STF
<a href="#">&lt;legend&gt;</a>	Defines a title in a fieldset	STF
<a href="#">&lt;isindex&gt;</a>	<b>Deprecated.</b> Defines a single-line input field	TF
Lists		
<a href="#">&lt;ul&gt;</a>	Defines an unordered list	STF
<a href="#">&lt;ol&gt;</a>	Defines an ordered list	STF
<a href="#">&lt;li&gt;</a>	Defines a list item	STF
<a href="#">&lt;dir&gt;</a>	<b>Deprecated.</b> Defines a directory list	TF
<a href="#">&lt;dl&gt;</a>	Defines a definition list	STF
<a href="#">&lt;dt&gt;</a>	Defines a definition term	STF
<a href="#">&lt;dd&gt;</a>	Defines a definition description	STF
<a href="#">&lt;menu&gt;</a>	<b>Deprecated.</b> Defines a menu list	TF

Sandeep Sir

Images		
<a href="#">&lt;img&gt;</a>	Defines an image	STF
<a href="#">&lt;map&gt;</a>	Defines an image map	STF
<a href="#">&lt;area&gt;</a>	Defines an area inside an image map	STF
Tables		
<a href="#">&lt;table&gt;</a>	Defines a table	STF
<a href="#">&lt;caption&gt;</a>	Defines a table caption	STF
<a href="#">&lt;th&gt;</a>	Defines a table header	STF
<a href="#">&lt;tr&gt;</a>	Defines a table row	STF
<a href="#">&lt;td&gt;</a>	Defines a table cell	STF
<a href="#">&lt;thead&gt;</a>	Defines a table header	STF
<a href="#">&lt;tbody&gt;</a>	Defines a table body	STF
<a href="#">&lt;tfoot&gt;</a>	Defines a table footer	STF
<a href="#">&lt;col&gt;</a>	Defines attributes for table columns	STF
<a href="#">&lt;colgroup&gt;</a>	Defines groups of table columns	STF
Styles		
<a href="#">&lt;style&gt;</a>	Defines a style definition	STF
<a href="#">&lt;div&gt;</a>	Defines a section in a document	STF
<a href="#">&lt;span&gt;</a>	Defines a section in a document	STF
Meta Info		
<a href="#">&lt;head&gt;</a>	Defines information about the document	STF
<a href="#">&lt;title&gt;</a>	Defines the document title	STF
<a href="#">&lt;meta&gt;</a>	Defines meta information	STF
<a href="#">&lt;base&gt;</a>	Defines a base URL for all the links in a page	STF
<a href="#">&lt;basefont&gt;</a>	<b>Deprecated.</b> Defines a base font	TF
Programming		

Sandeep Sir

<a href="#">&lt;script&gt;</a>	Defines a script	STF
<a href="#">&lt;noscript&gt;</a>	Defines a noscript section	STF
<a href="#">&lt;applet&gt;</a>	<b>Deprecated.</b> Defines an applet	TF
<a href="#">&lt;object&gt;</a>	Defines an embedded object	STF
<a href="#">&lt;param&gt;</a>	Defines a parameter for an object	STF

## Math Symbols Supported by HTML

Character	Entity Number	Entity Name	Description
∀	&#8704;	&forall;	for all
∂	&#8706;	&part;	part
∃	&#8707;	&exists;	exists
∅	&#8709;	&empty;	empty
∇	&#8711;	&nabla;	nabla
∈	&#8712;	&isin;	isin
∉	&#8713;	&notin;	notin
∋	&#8715;	&ni;	ni
∏	&#8719;	&prod;	prod
∑	&#8721;	&sum;	sum
−	&#8722;	&minus;	minus
∗	&#8727;	&lowast;	lowast
√	&#8730;	&radic;	square root
∝	&#8733;	&prop;	proportional to
∞	&#8734;	&infin;	infinity
∠	&#8736;	&ang;	angle
∧	&#8743;	&and;	and
∨	&#8744;	&or;	or
∩	&#8745;	&cap;	cap
∪	&#8746;	&cup;	cup
∫	&#8747;	&int;	integral
∴	&#8756;	&there4;	therefore

Sandeep Sir

~	&#8764;	&sim;	similar to
≈	&#8773;	&cong;	approximately equal
≈	&#8776;	&asymp;	almost equal
≠	&#8800;	&ne;	not equal
≡	&#8801;	&equiv;	equivalent
≤	&#8804;	&le;	less or equal
≥	&#8805;	&ge;	greater or equal
⊂	&#8834;	&sub;	subset of
⊃	&#8835;	&sup;	superset of
⊄	&#8836;	&nsub;	not subset of
⊆	&#8838;	&sube;	subset or equal
⊇	&#8839;	&supe;	superset or equal
⊕	&#8853;	&oplus;	circled plus
⊗	&#8855;	&otimes;	circled times
⊥	&#8869;	&perp;	perpendicular
·	&#8901;	&sdot;	dot operator

### Greek Letters Supported by HTML

Character	Entity Number	Entity Name	Description
Α	&#913;	&Alpha;	Alpha
Β	&#914;	&Beta;	Beta
Γ	&#915;	&Gamma;	Gamma
Δ	&#916;	&Delta;	Delta
Ε	&#917;	&Epsilon;	Epsilon
Ζ	&#918;	&Zeta;	Zeta
Η	&#919;	&Eta;	Eta
Θ	&#920;	&Theta;	Theta
Ι	&#921;	&Iota;	Iota
Κ	&#922;	&Kappa;	Kappa
Λ	&#923;	&Lambda;	Lambda

Sandeep Sir

M	&#924;	&Mu;	Mu
N	&#925;	&Nu;	Nu
Ξ	&#926;	&Xi;	Xi
O	&#927;	&Omicron;	Omicron
Π	&#928;	&Pi;	Pi
P	&#929;	&Rho;	Rho
	undefined		Sigmaf
Σ	&#931;	&Sigma;	Sigma
T	&#932;	&Tau;	Tau
Υ	&#933;	&Upsilon;	Upsilon
Φ	&#934;	&Phi;	Phi
Χ	&#935;	&Chi;	Chi
Ψ	&#936;	&Psi;	Psi
Ω	&#937;	&Omega;	Omega
α	&#945;	&alpha;	alpha
β	&#946;	&beta;	beta
γ	&#947;	&gamma;	gamma
δ	&#948;	&delta;	delta
ε	&#949;	&epsilon;	epsilon
ζ	&#950;	&zeta;	zeta
η	&#951;	&eta;	eta
θ	&#952;	&theta;	theta
ι	&#953;	&iota;	iota
κ	&#954;	&kappa;	kappa
λ	&#955;	&lambd;	lambda
μ	&#956;	&mu;	mu
ν	&#957;	&nu;	nu
ξ	&#958;	&xi;	xi
ο	&#959;	&omicron;	omicron

Sandeep Sir

n	&#960;	&pi;	pi
ρ	&#961;	&rho;	rho
ς	&#962;	&sigmaf;	sigmaf
σ	&#963;	&sigma;	sigma
τ	&#964;	&tau;	tau
υ	&#965;	&upsilon;	upsilon
φ	&#966;	&phi;	phi
χ	&#967;	&chi;	chi
ψ	&#968;	&psi;	psi
ω	&#969;	&omega;	omega
			TM
θ	&#977;	&thetasym;	theta symbol
ϵ	&#978;	&upsih;	upsilon symbol
ϖ	&#982;	&piv;	pi symbol

### Other Entities Supported by HTML

Character	Entity Number	Entity Name	Description
Œ	&#338;	&OElig;	capital ligature OE
œ	&#339;	&oelig;	small ligature oe
Š	&#352;	&Scaron;	capital S with caron
š	&#353;	&scaron;	small S with caron
Ÿ	&#376;	&Yuml;	capital Y with diaeres
ƒ	&#402;	&fnof;	f with hook
ˆ	&#710;	&circ;	modifier letter circumflex accent
˘	&#732;	&tilde;	small tilde
	&#8194;	&ensp;	en space
	&#8195;	&emsp;	em space
	&#8201;	&thinsp;	thin space
	&#8204;	&zwj;	zero width non-joiner
	&#8205;	&zwj;	zero width joiner

Sandeep Sir

	&#8206;	&rm;	left-to-right mark
	&#8207;	&rlm;	right-to-left mark
-	&#8211;	&ndash;	en dash
—	&#8212;	&mdash;	em dash
`	&#8216;	&lsquo;	left single quotation mark
'	&#8217;	&rsquo;	right single quotation mark
,	&#8218;	&sbquo;	single low-9 quotation mark
“	&#8220;	&ldquo;	left double quotation mark
”	&#8221;	&rdquo;	right double quotation mark
„	&#8222;	&bdquo;	double low-9 quotation mark
†	&#8224;	&dagger;	dagger
‡	&#8225;	&Dagger;	double dagger
•	&#8226;	&bull;	bullet
...	&#8230;	&hellip;	horizontal ellipsis
‰	&#8240;	&permil;	per mille
'	&#8242;	&prime;	minutes
”	&#8243;	&Prime;	seconds
<	&#8249;	&lsaquo;	single left angle quotation
>	&#8250;	&rsaquo;	single right angle quotation
—	&#8254;	&oline;	overline
€	&#8364;	&euro;	euro
™	&#8482;	&trade;	trademark
←	&#8592;	&larr;	left arrow
↑	&#8593;	&uarr;	up arrow
→	&#8594;	&rarr;	right arrow
↓	&#8595;	&darr;	down arrow
↔	&#8596;	&harr;	left right arrow
↵	&#8629;	&crarr;	carriage return arrow
⌈	&#8968;	&lceil;	left ceiling
⌋	&#8969;	&rceil;	right ceiling

Sandeep Sir

	&#8970;	&lfloor;	left floor
]	&#8971;	&rfloor;	right floor
◇	&#9674;	&loz;	lozenge
♠	&#9824;	&spades;	spade
♣	&#9827;	&clubs;	club
♥	&#9829;	&hearts;	heart
♦	&#9830;	&diamonds;	diamond




TM

Sandeep Sir

## HTML ADVANCE CODE

### 1. FIXED BACKGROUND IMAGE

```
<a href="/css/properties/css_background-attachment.cfm">  
<code>background-attachment</code></a>
```



### 2. SHORTHAND BACKGROUND CODE

```
<a  
href="/css/properties/css_background.cfm"><code>background</code></a>
```



### 3. BACKGROUNDS FOR THE WHOLE PAGE

```
<html>  
<head>  
<title>Example</title>
```


**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
</head>  
<body style="background-color:yellowgreen;color:white;">  
...content goes here...  
</body>  
</html>
```




## 4. CSS GRADIENT CODE

```
background: linear-gradient(red, green);
```

## 5. LINEAR GRADIENT

```
<style>  
#example1 {  
  height:100px;  
  border:1px solid black;  
  padding:10px;  
  background: gold linear-gradient(to bottom, lightyellow, gold);  
}  
</style>
```



**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

## 6. REPEATING LINEAR GRADIENT

```
<style>
#example3 {
    height:100px;
    border:1px solid black;
    padding:10px;
    background: lightyellow repeating-linear-gradient(to right, lightyellow,
gold 20px, lightyellow 40px);
}
</style>
<div id="example3">Repeating linear gradient...</div>
```



## 7. RADIAL GRADIENT

```
<style>
#example2 {
    height:100px;
    border:1px solid black;
    padding:10px;
    background: gold radial-gradient(lightyellow, gold);
}
</style>


<div id="example2">Radial gradient...</div>
```



## 8. REPEATING RADIAL GRADIENT

```
<style>
#example4 {
  height:100px;
  border:1px solid black;
  padding:10px;
  background: gold repeating-radial-gradient(lightyellow, gold 20px,
lightyellow 40px);
}
</style>

<div id="example4">Repeating radial gradient...</div>
```



## 9. SOLID BORDER

```
<style>
.bordered {
  width: 200px;
  height: 100px;
  padding: 20px;
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**


Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
border: 10px solid yellowgreen;  
}  
</style>
```


```
<div class="bordered">  
Box with a border  
</div>
```



## 10. BORDER RADIUS

```
<style>  
.bordered {  
width: 200px;  
height: 100px;  
padding: 20px;  
border: 1px solid darkorange;  
border-radius: 8px;}  
</style>
```

```
<div class="bordered">  
Box with a border  
</div>
```



## 11. BOTTOM BORDER

```
<style>
a {
  font-size: 2em;
  color: limegreen;
  text-decoration: none;
  border-bottom: 1px solid darkorange;
}
a:hover {
  color: darkorange;
  border-width: 3px;
}
</style>
```

<p>You can use borders to create custom underlines on hyperlinks, like this:</p>

<p>Go to the <a target="\_blank" href="https://www.quackit.com">Quackit Homepage</a>.</p>



```
▶ Run [Pause] [Menu] [Editor] [Preview]

<style>
a {
  font-size: 2em;
  color: limegreen;
  text-decoration: none;
  border-bottom: 1px solid darkorange;
}
a:hover {
  color: darkorange;
  border-width: 3px;
}
</style>

<p>You can use borders to create custom
underlines on hyperlinks, like this:</p>
<p>Go to the <a target="_blank"
```

## 12. DOTTED BORDER

```
<style>
.bordered {
  width: 200px;
  height: 100px;
  padding: 20px;
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**


Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
border: 1px dotted black;  
}  
</style>
```


```
<div class="bordered">  
Box with a border  
</div>
```



## 13. DASHED BORDER

```
<style>  
.bordered {  
  width: 200px;  
  height: 100px;  
  padding: 20px;  
  border: 1px dashed green;  
}  
</style>
```

```
<div class="bordered">  
Box with a border  
</div>
```



**Head office :- Kanwali Road Dehradun Uttarakhand India**


Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

## 14. OUTSET BORDER

```
<style>
.bordered {
  width: 200px;
  height: 100px;
  padding: 20px;
  border: 10px outset yellowgreen;
}
</style>
```

```
<div class="bordered">
Box with a border
</div>
```



## 15. INSET BORDER

```
<style>
.bordered {
  width: 200px;
  height: 100px;
  padding: 20px;
  border: 10px inset yellowgreen;
}
</style>
```

```
<div class="bordered">
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

Box with a border

</div>

```
Run
<style>
  .bordered {
    width: 200px;
    height: 100px;
    padding: 20px;
    border: 10px outset yellowgreen;
  }
</style>

<div class="bordered">
  Box with a border
</div>
```



## 16. GROOVED BORDER

```
<style>
  .bordered {
    width: 200px;
    height: 100px;
    padding: 20px;
    border: 10px groove yellowgreen;
  }
</style>
```

```
<div class="bordered">
  Box with a border
</div>
```

```
Run
<style>
  .bordered {
    width: 200px;
    height: 100px;
    padding: 20px;
    border: 10px groove yellowgreen;
  }
</style>

<div class="bordered">
  Box with a border
</div>
```



## 17. DOUBLE BORDER

```
<style>
  .bordered {
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
width: 200px;  
height: 100px;  
padding: 20px;  
border: 10px double yellowgreen;  
}  
</style>
```


```
<div class="bordered">  
Box with a border  
</div>
```



## 18. RIDGED BORDER

```
<style>  
.bordered {  
width: 200px;  
height: 100px;  
padding: 20px;  
border: 10px ridge black;  
}  
</style>
```

```
<div class="bordered">  
Box with a border  
</div>
```



**Head office :- Kanwali Road Dehradun Uttarakhand India**


Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

## MIXED BORDER

```
<style>
.bordered {
  width: 200px;
  height: 100px;
  padding: 20px;
  border-width: 6px;
  border-color: yellowgreen;
  border-style: dotted dashed solid double;
}
</style>
```

```
<div class="bordered">
Box with a border
</div>
```




## BASIC HTML SCROLL BOX

```
<div style="height:120px;width:120px;border:1px solid #ccc;font:16px/26px Georgia, Garamond, Serif;overflow:auto;">
```

As you can see, once there's enough text in this box, the box will grow scroll bars... that's why we call it a scroll box! You could also place an image into the scroll box.

```
</div>
```



**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

## COLORED SCROLL BOXES

```
<div style="height:100px;width:140px;overflow:auto;background-color:yellowgreen;color:white;scrollbar-base-color:gold;font-family:sans-serif;padding:10px;">This HTML scroll box has had color added. You can add color to the background of your scroll box. You can also add color to the scroll bars.</div>
```

## CUSTOMIZED SCROLLBARS

```
<html>
<head>
<title>My Example</title>

<!-- CSS -->
<style>
/* Force scrollbars onto browser window */
body {
margin-bottom: 200%;
}

/* Box styles */
.myBox {
border: none;
padding: 5px;
font: 24px/36px sans-serif;
width: 200px;
height: 200px;
overflow: scroll;
}

/* Scrollbar styles */
::-webkit-scrollbar {
width: 12px;
height: 12px;
}

::-webkit-scrollbar-track {
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
border: 1px solid yellowgreen;  
border-radius: 10px;  
}
```

```
::-webkit-scrollbar-thumb {  
background: yellowgreen;  
border-radius: 10px;  
}
```

```
::-webkit-scrollbar-thumb:hover {  
background: #88ba1c;  
}
```

```
</style>  
</head>  
<body>
```

```
<!-- HTML -->
```

```
<div class="myBox">
```

Efficient honorificabilitudinitatibus cross-media information without floccinaucinihilipilification cross-media value. Quickly maximize timely deliverables for real-time schemas plenipotentiary.

```
</div>
```

```
</body>
```

```
</html>
```

## SCROLL BOX WITH IMAGES

```
<div style="height:180px;width:180px;overflow:auto;">  
  
</div>
```

## SCROLL BOX BORDERS

```
<div style="height:100px;width:140px;overflow:auto;border:8px solid  
yellowgreen;padding:2%">This scroll box has had a border added to it. You  
can add borders to anything in HTML - including scroll boxes.</div>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

## HORIZONTAL SCROLL

```
<div style="border:1px solid black;height:100px;width:140px;overflow-y:hidden;overflow-x:scroll;">
```

```
<p style="width:250%;">
```

By using overflow-x, we can create scroll bars when the contents of this div are wider than the container. By setting this paragraph to 200 percent, it is 200 percent wider than the parent container - forcing an overflow.

```
</p>
```

```
</div>
```

## EXAMPLE FORM WITH NO STYLES

```
<form method="get" enctype="application/x-www-form-urlencoded"
action="/html/codes/html_form_handler.cfm">
```

```
<p>
```

```
<label>Name
```

```
<input type="text" name="customer_name" required>
```

```
</label>
```

```
</p>
```

```
<p>
```

```
<label>Phone
```

```
<input type="tel" name="phone_number">
```

```
</label>
```

```
</p>
```

```
<p>
```

```
<label>Email
```

```
<input type="email" name="email_address">
```

```
</label>
```

```
</p>
```

```
<fieldset>
```

```
<legend>Which taxi do you require?</legend>
```

```
<p><label> <input type="radio" name="taxi" required value="car"> Car
```

```
</label></p>
```

```
<p><label> <input type="radio" name="taxi" required value="van"> Van
```

```
</label></p>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
<p><label> <input type="radio" name="taxi" required value="tuktuk"> Tuk  
Tuk </label></p>  
</fieldset>
```

```
<fieldset>  
<legend>Extras</legend>  
<p><label> <input type="checkbox" name="extras" value="baby"> Baby Seat  
</label></p>  
<p><label> <input type="checkbox" name="extras" value="wheelchair">  
Wheelchair Access </label></p>  
<p><label> <input type="checkbox" name="extras" value="tip"> Stock Tip  
</label></p>  
</fieldset>
```

```
<p>  
<label>Pickup Date/Time  
<input type="datetime-local" name="pickup_time" required>  
</label>  
</p>
```

```
<p>  
<label>Pickup Place  
<select id="pickup_place" name="pickup_place">  
<option value="" selected="selected">Select One</option>  
<option value="office" >Taxi Office</option>  
<option value="town_hall" >Town Hall</option>  
<option value="telepathy" >We'll Guess!</option>  
</select>  
</label>  
</p>
```

```
<p>  
<label>Dropoff Place  
<input type="text" name="dropoff_place" required list="destinations">  
</label>
```

```
<datalist id="destinations">  
<option value="Airport">  
<option value="Beach">  
<option value="Fred Flinstone's House">  
</datalist>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

</p>

<p>

<label>Special Instructions

<textarea name="comments" maxlength="500"></textarea>

</label>

</p>

<p><button>Submit Booking</button></p>

</form>

## SAME FORM STYLED WITH TOP-ALIGNED LABELS

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<meta http-equiv="x-ua-compatible" content="ie=edge">
```

```
<title>My Example</title>
```

```
<!-- CSS -->
```

```
<style>
```

```
.myForm {
```

```
font-family: "Lucida Sans Unicode", "Lucida Grande", sans-serif;
```

```
font-size: 0.8em;
```

```
width: 20em;
```

```
padding: 1em;
```

```
border: 1px solid #ccc;
```

```
}
```

```
.myForm * {
```

```
box-sizing: border-box;
```

```
}
```

```
.myForm fieldset {
```

```
border: none;
```

```
padding: 0;
```

```
}
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
.myForm legend,  
.myForm label {  
padding: 0;  
font-weight: bold;  
}
```

```
.myForm label.choice {  
font-size: 0.9em;  
font-weight: normal;  
}
```

```
.myForm input[type="text"],  
.myForm input[type="tel"],  
.myForm input[type="email"],  
.myForm input[type="datetime-local"],  
.myForm select,  
.myForm textarea {  
display: block;  
width: 100%;  
border: 1px solid #ccc;  
font-family: "Lucida Sans Unicode", "Lucida Grande", sans-serif;  
font-size: 0.9em;  
padding: 0.3em;  
}
```

```
.myForm textarea {  
height: 100px;  
}
```

```
.myForm button {  
padding: 1em;  
border-radius: 0.5em;  
background: #eee;  
border: none;  
font-weight: bold;  
margin-top: 1em;  
}
```

```
.myForm button:hover {  
background: #ccc;  
cursor: pointer;  
}
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
}
</style>

</head>
<body>

<form class="myForm" method="get" enctype="application/x-www-form-
urlencoded" action="/html/codes/html_form_handler.cfm">

<p>
<label>Name
<input type="text" name="customer_name" required>
</label>
</p>

<p>
<label>Phone
<input type="tel" name="phone_number">
</label>
</p>

<p>
<label>Email
<input type="email" name="email_address">
</label>
</p>

<fieldset>
<legend>Which taxi do you require?</legend>
<p><label class="choice"> <input type="radio" name="taxi" required
value="car"> Car </label></p>
<p><label class="choice"> <input type="radio" name="taxi" required
value="van"> Van </label></p>
<p><label class="choice"> <input type="radio" name="taxi" required
value="tuktuk"> Tuk Tuk </label></p>
</fieldset>

<fieldset>
<legend>Extras</legend>
<p><label class="choice"> <input type="checkbox" name="extras"
value="baby"> Baby Seat </label></p>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
<p><label class="choice"> <input type="checkbox" name="extras"
value="wheelchair"> Wheelchair Access </label></p>
<p><label class="choice"> <input type="checkbox" name="extras"
value="tip"> Stock Tip </label></p>
</fieldset>
```

```
<p>
<label>Pickup Date/Time
<input type="datetime-local" name="pickup_time" required>
</label>
</p>
```

```
<p>
<label>Pickup Place
<select id="pickup_place" name="pickup_place">
<option value="" selected="selected">Select One</option>
<option value="office" >Taxi Office</option>
<option value="town_hall" >Town Hall</option>
<option value="telepathy" >We'll Guess!</option>
</select>
</label>
</p>
```

```
<p>
<label>Dropoff Place
<input type="text" name="dropoff_place" required list="destinations">
</label>
```

```
<datalist id="destinations">
<option value="Airport">
<option value="Beach">
<option value="Fred Flinstone's House">
</datalist>
</p>
```

```
<p>
<label>Special Instructions
<textarea name="comments" maxlength="500"></textarea>
</label>
</p>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

<p><button>Submit Booking</button></p>

</form>

</body>

</html>

## LEFT-ALIGNED LABELS

```
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="x-ua-compatible" content="ie=edge">
<title>My Example</title>

<!-- CSS -->
<style>
.myForm {
font-family: "Lucida Sans Unicode", "Lucida Grande", sans-serif;
font-size: 0.8em;
width: 30em;
padding: 1em;
border: 1px solid #ccc;
}

.myForm * {
box-sizing: border-box;
}

.myForm fieldset {
border: none;
padding: 0;
}

.myForm legend,
.myForm label {
padding: 0;
font-weight: bold;
}
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
.myForm label.choice {  
font-size: 0.9em;  
font-weight: normal;  
}
```

```
.myForm label {  
text-align: left;  
display: block;  
}
```

```
.myForm input[type="text"],  
.myForm input[type="tel"],  
.myForm input[type="email"],  
.myForm input[type="datetime-local"],  
.myForm select,  
.myForm textarea {  
float: right;  
width: 60%;  
border: 1px solid #ccc;  
font-family: "Lucida Sans Unicode", "Lucida Grande", sans-serif;  
font-size: 0.9em;  
padding: 0.3em;  
}
```

```
.myForm textarea {  
height: 100px;  
}
```

```
.myForm input[type="radio"],  
.myForm input[type="checkbox"] {  
margin-left: 40%;  
}
```

```
.myForm button {  
padding: 1em;  
border-radius: 0.5em;  
background: #eee;  
border: none;  
font-weight: bold;  
margin-left: 40%;  
}
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
margin-top: 1.8em;  
}
```

```
.myForm button:hover {  
background: #ccc;  
cursor: pointer;  
}  
</style>
```

```
</head>  
<body>
```

```
<form class="myForm" method="get" enctype="application/x-www-form-  
urlencoded" action="/html/codes/html_form_handler.cfm">
```

```
<p>  
<label>Name  
<input type="text" name="customer_name" required>  
</label>  
</p>
```

```
<p>  
<label>Phone  
<input type="tel" name="phone_number">  
</label>  
</p>
```

```
<p>  
<label>Email  
<input type="email" name="email_address">  
</label>  
</p>
```

```
<fieldset>  
<legend>Which taxi do you require?</legend>  
<p><label class="choice"> <input type="radio" name="taxi" required  
value="car"> Car </label></p>  
<p><label class="choice"> <input type="radio" name="taxi" required  
value="van"> Van </label></p>  
<p><label class="choice"> <input type="radio" name="taxi" required  
value="tuktuk"> Tuk Tuk </label></p>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

</fieldset>

<fieldset>

<legend>Extras</legend>

<p><label class="choice"> <input type="checkbox" name="extras" value="baby"> Baby Seat </label></p>

<p><label class="choice"> <input type="checkbox" name="extras" value="wheelchair"> Wheelchair Access </label></p>

<p><label class="choice"> <input type="checkbox" name="extras" value="tip"> Stock Tip </label></p>

</fieldset>

<p>

<label>Pickup Date/Time

<input type="datetime-local" name="pickup\_time" required>

</label>

</p>

<p>

<label>Pickup Place

<select id="pickup\_place" name="pickup\_place">

<option value="" selected="selected">Select One</option>

<option value="office" >Taxi Office</option>

<option value="town\_hall" >Town Hall</option>

<option value="telepathy" >We'll Guess!</option>

</select>

</label>

</p>

<p>

<label>Dropoff Place

<input type="text" name="dropoff\_place" required list="destinations">

</label>

<datalist id="destinations">

<option value="Airport">

<option value="Beach">

<option value="Fred Flinstone's House">

</datalist>

</p>

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
<p>  
<label>Special Instructions  
<textarea name="comments" maxlength="500"></textarea>  
</label>  
</p>
```

```
<p><button>Submit Booking</button></p>
```

```
</form>
```

```
</body>  
</html>
```

## RIGHT-ALIGNED LABELS

```
<html lang="en">  
<head>  
<meta charset="utf-8">  
<meta name="viewport" content="width=device-width, initial-scale=1">  
<meta http-equiv="x-ua-compatible" content="ie=edge">  
<title>My Example</title>
```

```
<!-- CSS -->
```

```
<style>
```

```
.myForm {  
font-family: "Lucida Sans Unicode", "Lucida Grande", sans-serif;  
font-size: 0.8em;  
width: 30em;  
padding: 1em;  
}
```

```
.myForm * {  
box-sizing: border-box;  
}
```

```
.myForm label {  
padding: 0;  
font-weight: bold;  
text-align: right;  
display: block;
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
}
```

```
.myForm input,  
.myForm select,  
.myForm textarea {  
margin-left: 2em;  
float: right;  
width: 20em;  
border: 1px solid #ccc;  
font-family: "Lucida Sans Unicode", "Lucida Grande", sans-serif;  
font-size: 0.9em;  
padding: 0.3em;  
}
```

```
.myForm textarea {  
height: 100px;  
}
```

```
.myForm button {  
padding: 1em;  
border-radius: 0.5em;  
background: #eee;  
border: none;  
font-weight: bold;  
margin-left: 14em;  
margin-top: 1.8em;  
}
```

```
.myForm button:hover {  
background: #ccc;  
cursor: pointer;  
}  
</style>
```

```
</head>  
<body>
```

```
<form class="myForm" method="get" enctype="application/x-www-form-  
urlencoded" action="/html/codes/html_form_handler.cfm">
```

```
<p>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
<label>Name
<input type="text" name="customer_name" required>
</label>
</p>
```

```
<p>
<label>Email
<input type="email" name="email_address">
</label>
</p>
```

```
<p>
<label>Enquiry Regarding
<select id="pickup_place" name="pickup_place">
<option value="" selected="selected">Select One</option>
<option value="website" >Our Website</option>
<option value="membership" >Membership</option>
<option value="telepathy" >We'll Guess!</option>
</select>
</label>
</p>
```

```
<p>
<label>Enquiry
<textarea name="comments" maxlength="500"></textarea>
</label>
</p>
```

```
<p><button>Submit Enquiry</button></p>
```

```
</form>
```

## INLINE FORM

```
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="x-ua-compatible" content="ie=edge">
<title>My Example</title>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: [+91-8923862460](tel:+918923862460) | **MR. SANDEEP SIR**

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
<!-- CSS -->
<style>
.myForm {
font-family: "Lucida Sans Unicode", "Lucida Grande", sans-serif;
font-size: 0.8em;
padding: 1em;
border: 1px solid #ccc;
border-radius: 3px;
}

.myForm * {
box-sizing: border-box;
}

.myForm label {
padding: 0;
font-weight: bold;
}

.myForm input {
border: 1px solid #ccc;
border-radius: 3px;
font-family: "Lucida Sans Unicode", "Lucida Grande", sans-serif;
font-size: 0.9em;
padding: 0.5em;
}

.myForm input[type="email"],
.myForm input[type="password"] {
width: 12em;
}

.myForm button {
padding: 0.7em;
border-radius: 0.5em;
background: #eee;
border: none;
font-weight: bold;
}

```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
.myForm button:hover {  
background: #ccc;  
cursor: pointer;  
}  
</style>  
  
</head>  
<body>  
  
<form class="myForm" method="get" enctype="application/x-www-form-  
urlencoded" action="/html/codes/html_form_handler.cfm">  
  
<p>  
<label>Email  
<input type="email" name="user_email" required>  
</label>  
  
<label>Password  
<input type="password" name="user_pwd" required>  
</label>  
  
<button>Log In</button>  
</p>  
  
<p>  
<label>  
<input type="checkbox"> Remember me  
</label>  
</p>  
  
</form>  
  
</body>  
</html>
```

## ACCESSIBLE COMPACT FORM

```
<html lang="en">  
<head>  
<meta charset="utf-8">
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
<meta name="viewport" content="width=device-width, initial-scale=1">  
<meta http-equiv="x-ua-compatible" content="ie=edge">  
<title>My Example</title>
```

```
<!-- CSS -->
```

```
<style>
```


```
.myForm {  
font-family: "Lucida Sans Unicode", "Lucida Grande", sans-serif;  
font-size: 0.8em;  
padding: 1em;  
border: 1px solid #ccc;  
border-radius: 3px;  
}
```

```
.myForm * {  
box-sizing: border-box;  
}
```

```
.myForm label {  
font-size: 0.9em;  
}
```

```
.myForm .audioOnly {  
position: absolute;  
width: 1px;  
height: 1px;  
padding: 0;  
margin: -1px;  
overflow: hidden;  
clip: rect(0, 0, 0, 0);  
border: 0;  
}
```

```
.myForm input {  
border: 1px solid #ccc;  
border-radius: 3px;  
font-family: "Lucida Sans Unicode", "Lucida Grande", sans-serif;  
font-size: 0.9em;  
padding: 0.5em;  
}
```



**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
.myForm input[type="email"],  
.myForm input[type="password"] {  
width: 12em;  
}
```

```
.myForm button {  
padding: 0.7em;  
border-radius: 0.5em;  
background: #eee;  
border: none;  
font-weight: bold;  
margin-left: 1.5em;  
}
```

```
.myForm button:hover {  
background: #ccc;  
cursor: pointer;  
}  
</style>
```

```
</head>  
<body>
```

```
<form class="myForm" method="get" enctype="application/x-www-form-  
urlencoded" action="/html/codes/html_form_handler.cfm">
```

```
<label class="audioOnly" for="user_email">Email</label>  
<input type="email" name="user_email" required placeholder="Email">
```

```
<label class="audioOnly" for="user_pwd">Password</label>  
<input type="password" name="user_pwd" required  
placeholder="Password">
```

```
<label>  
<input type="checkbox"> Remember me  
</label>
```

```
<button>Log In</button>
```

```
</form>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

```
</body>  
</html>
```

## RESPONSIVE GRID SYSTEM

```
<html lang="en">  
<head>  
<meta charset="utf-8">  
<meta name="viewport" content="width=device-width, initial-scale=1">  
<meta http-equiv="x-ua-compatible" content="ie=edge">  
<title>My Example</title>  
<!-- Bootstrap CSS -->  
<link rel="stylesheet"  
href="//maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap.min.css">  
  
</head>  
<body>  
  
<!-- HTML Form -->  
<div class="container-fluid">  
<div class="row">  
  
<div class="col-xs-2">  
<input type="text" class="form-control" placeholder="Title">  
</div>  
  
<div class="col-xs-4">  
<input type="text" class="form-control" placeholder="First Name">  
</div>  
  
<div class="col-xs-6">  
<input type="text" class="form-control" placeholder="Last Name">  
</div>  
  
</div>  
</div>  
  
<!-- jQuery library -->  
<script  
src="//ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
<!-- Bootstrap JS -->
<script
src="//maxcdn.bootstrapcdn.com/bootstrap/3.3.5/js/bootstrap.min.js"></sc
ript>
</body>
</html>
```

## Validation Styles & Feedback Icons

```
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<meta http-equiv="x-ua-compatible" content="ie=edge">
<title>My Example</title>
<!-- Bootstrap CSS -->
<link rel="stylesheet"
href="//maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap.min.css">

</head>
<body>
<div class="container-fluid">

<div class="form-group has-success has-feedback">
  <label class="control-label" for="username">Username</label>
  <input type="text" class="form-control" id="username" aria-
describedby="usernameStatus">
  <span class="glyphicon glyphicon-ok form-control-feedback" aria-
hidden="true"></span>
  <span id="usernameStatus" class="help-block">Username is
available!</span>
</div>
<div class="form-group has-warning has-feedback">
  <label class="control-label" for="password">Password</label>
  <input type="password" class="form-control" id="password" aria-
describedby="passwordStatus">
  <span class="glyphicon glyphicon-warning-sign form-control-feedback" aria-
hidden="true"></span>
  <span id="passwordStatus" class="help-block">Weak password</span>
</div>
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
<div class="form-group has-error has-feedback">  
  <label class="control-label" for="phone">Phone Number</label>  
  <input type="tel" class="form-control" id="phone" aria-  
describedby="phoneStatus">  
  <span class="glyphicon glyphicon-remove form-control-feedback" aria-  
hidden="true"></span>  
  <span id="phoneStatus" class="help-block">Please enter a valid phone  
number</span>  
</div>
```

```
</div>
```

```
<!-- jQuery library -->  
<script  
src="//ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></script>  
<!-- Bootstrap JS -->  
<script  
src="//maxcdn.bootstrapcdn.com/bootstrap/3.3.5/js/bootstrap.min.js"></sc  
ript>  
</body>  
</html>
```

```
<label for="birthday">Birthday:</label>  
<input type="date" id="birthday" name="birthday">
```

```
<html>  
<head>  
  <title>Hello World!</title>  
  <link rel="stylesheet" href="styles.css" />  
</head>  
<body>  
  <h1 class="title"><i>User Registration </i></h1><hr>  
  <label class="1">first name:</label>  
  <input type="text" placeholder="Enter First Name">  
  <br>  
  <label>last name:</label>  
  <input type="text" placeholder="Enter Last Name" id="lname">  
  <br>  
  <label for="Birtday">Date Of Birtday</label>  
  <input type="date" id="Birtday" value="Birtday">  
  <br>
```



The image shows a screenshot of a web form titled "User Registration". The form is styled with a pink background and contains the following fields and elements:

- first name:
- last name:
- Date Of Birtday:
- Gender: male  Female  other
- Choose your favorite Car'S:
- Email Id:
- password:
- Registration


**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](#)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

# DOON EXCEL NET ACADEMY COMPUTER EDUCATION

```
<label>Gender:</label>
<label>male</label>
<input type="radio" name="gender" id="male">
<label>Female</label>
<input type="radio" name="gender" id="female">
<label>other</label>
<input type="radio" name="gender" id="other">
<br>
<label>Choose your favorite Car'S:</label>
<input list="cars">
<datalist id="cars">
  <option value="BMW">BMW</option>
  <option value="AUDI">AUDI</option>
  <option value="LAMBO">LAMBO</option>
  <option value="Mecleren">Mecleren</option>
</datalist>
<br>
<label>Email Id:</label>
<input type="text" placeholder="xxxxx@gmail.com" id="Eid">
<br>
<label>password:</label>
<input type="text" id="password "></input>
<br>
<input type="submit" value="Registration" id="submit">
<br>
</body>
</html>
```



```
<!DOCTYPE html>
<html>
  <head>
    <title>Hello World!</title>
    <link rel="stylesheet" href="styles.css" />
  </head>
  <body>
    <h1 class="title"><i>User Registration </i></h1><hr>
    <label class="1">first name:</label>
    <input type="text" placeholder="Enter First Name">
    <br>
    <label>last name:</label>
    <input type="text" placeholder="Enter Last Name" id="lname">
    <br>
    <label for="Birtday">Date Of Birtday</label>
    <input type="date" id="Birtday" value="Birtday">
    <br>
    <label>Gender:</label>
    <label>male</label>
    <input type="radio" name="gender" id="male">
    <label>Female</label>
    <input type="radio" name="gender" id="female">
    <label>other</label>
    <input type="radio" name="gender" id="other">
    <br>
    <label>Choose your favorite Car'S:</label>
    <input list="cars">
    <datalist id="cars">
```

**Head office :- Kanwali Road Dehradun Uttarakhand India**

Social Links: [www.Doonexcelnet.com](http://www.Doonexcelnet.com) | [youtube- DOON EXCEL EDUCATION](https://www.youtube.com/DOON_EXCEL_EDUCATION)

H.O. Online: +91-8923862460 | MR. SANDEEP SIR

Colorname	HEX	RGB
AliceBlue	F0F8FF	240,248,255
AntiqueWhite	FAEBD7	250,235,215
Aqua	00FFFF	0,255,255
Aquamarine	7FFFD4	127,255,212
Azure	F0FFFF	240,255,255
Beige	F5F5DC	245,245,220
Bisque	FFE4C4	255,228,196
Black	000000	0,0,0
BlanchedAlmond	FFEBCD	255,235,205
Blue	0000FF	0,0,255
BlueViolet	8A2BE2	138,43,226
Brown	A52A2A	165,42,42
BurlyWood	DEB887	222,184,135
CadetBlue	5F9EA0	95,158,160
Chartreuse	7FFF00	127,255,0
Chocolate	D2691E	210,105,30
Coral	FF7F50	255,127,80
CornflowerBlue	6495ED	100,149,237
Cornsilk	FFF8DC	255,248,220
Crimson	DC143C	220,20,60
Cyan	00FFFF	0,255,255
DarkBlue	00008B	0,0,139
DarkCyan	008B8B	0,139,139
DarkGoldenRod	B8860B	184,134,11

DarkGray	A9A9A9	169,169,169
DarkGrey	A9A9A9	169,169,169
<b>DarkGreen</b>	<b>006400</b>	<b>0,100,0</b>
DarkKhaki	BDB76B	189,183,107
<b>DarkMagenta</b>	<b>8B008B</b>	<b>139,0,139</b>
DarkOliveGreen	556B2F	85,107,47
<b>DarkOrange</b>	<b>FF8C00</b>	<b>255,140,0</b>
<b>DarkOrchid</b>	<b>9932CC</b>	<b>153,50,204</b>
<b>DarkRed</b>	<b>8B0000</b>	<b>139,0,0</b>
DarkSalmon	E9967A	233,150,122
DarkSeaGreen	8FBC8F	143,188,143
DarkSlateBlue	483D8B	72,61,139
DarkSlateGray	2F4F4F	47,79,79
DarkSlateGrey	2F4F4F	47,79,79
<b>DarkTurquoise</b>	<b>00CED1</b>	<b>0,206,209</b>
<b>DarkViolet</b>	<b>9400D3</b>	<b>148,0,211</b>
<b>DeepPink</b>	<b>FF1493</b>	<b>255,20,147</b>
<b>DeepSkyBlue</b>	<b>00BFFF</b>	<b>0,191,255</b>
DimGray	696969	105,105,105
DimGrey	696969	105,105,105
<b>DodgerBlue</b>	<b>1E90FF</b>	<b>30,144,255</b>
<b>FireBrick</b>	<b>B22222</b>	<b>178,34,34</b>
FloralWhite	FFFAF0	255,250,240
<b>ForestGreen</b>	<b>228B22</b>	<b>34,139,34</b>
<b>Fuchsia</b>	<b>FF00FF</b>	<b>255,0,255</b>
Gainsboro	DCDCDC	220,220,220

GhostWhite	F8F8FF	248,248,255
Gold	FFD700	255,215,0
GoldenRod	DAA520	218,165,32
Gray	808080	128,128,128
Grey	808080	128,128,128
Green	008000	0,128,0
GreenYellow	ADFF2F	173,255,47
HoneyDew	F0FFF0	240,255,240
HotPink	FF69B4	255,105,180
IndianRed	CD5C5C	205,92,92
Indigo	4B0082	75,0,130
Ivory	FFFFFF0	255,255,240
Khaki	F0E68C	240,230,140
Lavender	E6E6FA	230,230,250
LavenderBlush	FFF0F5	255,240,245
LawnGreen	7CFC00	124,252,0
LemonChiffon	FFFACD	255,250,205
LightBlue	ADD8E6	173,216,230
LightCoral	F08080	240,128,128
LightCyan	E0FFFF	224,255,255
LightGoldenRodYellow	FAFAD2	250,250,210
LightGray	D3D3D3	211,211,211
LightGrey	D3D3D3	211,211,211
LightGreen	90EE90	144,238,144
LightPink	FFB6C1	255,182,193
LightSalmon	FFA07A	255,160,122

LightSeaGreen	20B2AA	32,178,170
LightSkyBlue	87CEFA	135,206,250
LightSlateGray	778899	119,136,153
LightSlateGrey	778899	119,136,153
LightSteelBlue	B0C4DE	176,196,222
LightYellow	FFFFE0	255,255,224
Lime	00FF00	0,255,0
LimeGreen	32CD32	50,205,50
Linen	FAF0E6	250,240,230
Magenta	FF00FF	255,0,255
Maroon	800000	128,0,0
MediumAquaMarine	66CDAA	102,205,170
MediumBlue	0000CD	0,0,205
MediumOrchid	BA55D3	186,85,211
MediumPurple	9370DB	147,112,219
MediumSeaGreen	3CB371	60,179,113
MediumSlateBlue	7B68EE	123,104,238
MediumSpringGreen	00FA9A	0,250,154
MediumTurquoise	48D1CC	72,209,204
MediumVioletRed	C71585	199,21,133
MidnightBlue	191970	25,25,112
MintCream	F5FFFA	245,255,250
MistyRose	FFE4E1	255,228,225
Moccasin	FFE4B5	255,228,181
NavajoWhite	FFDEAD	255,222,173
Navy	000080	0,0,128

<b>OldLace</b>	<b>FDF5E6</b>	<b>253,245,230</b>
<b>Olive</b>	<b>808000</b>	<b>128,128,0</b>
<b>OliveDrab</b>	<b>6B8E23</b>	<b>107,142,35</b>
<b>Orange</b>	<b>FFA500</b>	<b>255,165,0</b>
<b>OrangeRed</b>	<b>FF4500</b>	<b>255,69,0</b>
<b>Orchid</b>	<b>DA70D6</b>	<b>218,112,214</b>
<b>PaleGoldenRod</b>	<b>EEE8AA</b>	<b>238,232,170</b>
<b>PaleGreen</b>	<b>98FB98</b>	<b>152,251,152</b>
<b>PaleTurquoise</b>	<b>AFEEEE</b>	<b>175,238,238</b>
<b>PaleVioletRed</b>	<b>DB7093</b>	<b>219,112,147</b>
<b>PapayaWhip</b>	<b>FFefd5</b>	<b>255,239,213</b>
<b>PeachPuff</b>	<b>FFDAB9</b>	<b>255,218,185</b>
<b>Peru</b>	<b>CD853F</b>	<b>205,133,63</b>
<b>Pink</b>	<b>FFC0CB</b>	<b>255,192,203</b>
<b>Plum</b>	<b>DDA0DD</b>	<b>221,160,221</b>
<b>PowderBlue</b>	<b>BOE0E6</b>	<b>176,224,230</b>
<b>Purple</b>	<b>800080</b>	<b>128,0,128</b>
<b>RebeccaPurple</b>	<b>663399</b>	<b>102,51,153</b>
<b>Red</b>	<b>FF0000</b>	<b>255,0,0</b>
<b>RosyBrown</b>	<b>BC8F8F</b>	<b>188,143,143</b>
<b>RoyalBlue</b>	<b>4169E1</b>	<b>65,105,225</b>
<b>SaddleBrown</b>	<b>8B4513</b>	<b>139,69,19</b>
<b>Salmon</b>	<b>FA8072</b>	<b>250,128,114</b>
<b>SandyBrown</b>	<b>F4A460</b>	<b>244,164,96</b>
<b>SeaGreen</b>	<b>2E8B57</b>	<b>46,139,87</b>
<b>SeaShell</b>	<b>FFF5EE</b>	<b>255,245,238</b>

<b>Sienna</b>	<b>A0522D</b>	<b>160,82,45</b>
Silver	C0C0C0	192,192,192
<b>SkyBlue</b>	<b>87CEEB</b>	<b>135,206,235</b>
<b>SlateBlue</b>	<b>6A5ACD</b>	<b>106,90,205</b>
SlateGray	708090	112,128,144
SlateGrey	708090	112,128,144
Snow	FFFAFA	255,250,250
<b>SpringGreen</b>	<b>00FF7F</b>	<b>0,255,127</b>
<b>SteelBlue</b>	<b>4682B4</b>	<b>70,130,180</b>
<b>Teal</b>	<b>008080</b>	<b>0,128,128</b>
Thistle	D8BFD8	216,191,216
<b>Tomato</b>	<b>FF6347</b>	<b>255,99,71</b>
<b>Turquoise</b>	<b>40E0D0</b>	<b>64,224,208</b>
<b>Violet</b>	<b>EE82EE</b>	<b>238,130,238</b>
Wheat	F5DEB3	245,222,179
White	FFFFFF	255,255,255
WhiteSmoke	F5F5F5	245,245,245
<b>Yellow</b>	<b>FFFF00</b>	<b>255,255,0</b>
<b>YellowGreen</b>	<b>9ACD32</b>	<b>154,205,50</b>

**Source Code**

```

```

**Result****Source Code**

```

```

**Result****Source Code**

```

```

**Result****Source Code**

```

```

**Result****Source Code**

```

```

**Result****Source Code**

```

```

**Result****Source Code**

```

```

**Result**